

型号	流量		扬程	转速 (r/min)	功率(KW)		效率	汽蚀余量
			(m)				(%)	(m)
	(mm)(mm)(mm)	(m <sup>3</sup> /h)	(L/s)			轴功率	电机功率	
50-32-125	12.5	3.47	20	2900	1.13	2.2	60	2.0
	6.3	1.74	5	1450	0.16	0.55	54	2.0
50-32-125A	11.2	3.1	16	2900	0.84	1.1	58	2.0
	5.6	1.6	4	1450	0.12	0.55	53	2.0
50-32-160	12.5	3.47	32	2900	2.02	3	54	2.0
	6.3	1.74	8	1450	0.29	0.55	48	2.0
50-32-160A	11.7	3.3	28	2900	1.71	2.2	53	2.0
	5.8	1.6	7	1450	0.24	0.55	46	2.0
50-32-160B	10.8	3	24	2900	1.41	2.2	50	2.0
	5.4	1.5	6	1450	0.21	0.55	43	2.0
50-32-200	12.5	3.47	50	2900	3.54	5.5	48	2.0
	6.3	1.74	12.5	1450	0.51	0.75	42	2.0
50-32-200A	11.7	3.3	44	2900	3.16	4	45	2.0
	5.8	1.6	11	1450	0.43	0.55	40	2.0
50-32-200B	10.8	3	38	2900	2.6	3	43	2.0
	5.4	1.5	9.5	1450	0.37	0.55	38	2.0
50-32-250	12.5	3.47	80	2900	7.16	11	38	2.0
	6.3	1.74	20	1450	1.07	1.5	32	2.0
50-32-250A	11.7	3.3	70	2900	6.47	7.5	35	2.0
	5.8	1.6	17.5	1450	0.92	1.5	30	2.0
50-32-250B	10.8	3	60	2900	5.51	7.5	32	2.0
	5.4	1.5	15	1450	0.85	1.1	26	2.0
65-50-125	25	6.94	20	2900	1.97	3	69	2.5
	12.5	3.47	50	1450	0.27	0.55	64	2.0
65-50-125A	22.4	6.2	16	2900	1.47	2.2	66	2.0
	11.2	3.1	4	1450	0.2	0.55	62	2.0
65-50-160	25	6.94	32	2900	3.35	5.5	65	2.0
	12.5	3.47	8	1450	0.45	0.75	60	2.0
65-50-160A	23.4	6.5	28	2900	2.83	4	63	2.0
	11.7	3.3	7	1450	0.39	0.55	58	2.0
65-50-160B	21.7	6	24	2900	2.35	4	60	2.0
	10.8	3	6	1450	0.32	0.55	56	2.0
65-40-200	25	6.94	50	2900	5.67	7.5	60	2.0
	12.5	3.47	12.5	1450	0.77	1.1	55	2.0
65-40-200A	23.4	6.5	44	2900	4.92	5.5	57	2.0
	11.7	3.3	11	1450	0.7	1.1	51	2.0
65-40-200B	21.8	6.1	38	2900	4.13	5.5	55	2.0
	10.8	3	9.5	1450	0.58	0.75	48	2.0
65-40-250	25	6.94	80	2900	10.89	15	50	2.0
	12.5	3.47	20	1450	1.48	2.2	46	2.0
65-40-250A	23.4	6.5	70	2900	9.1	11	49	2.0
	11.7	3.3	17.5	1450	1.23	1.5	46	2.0
65-40-250B	21.7	6	60	2900	7.51	11	47	2.0
	10.8	3	15	1450	1	1.5	44	2.0
65-40-315	25	6.94	125	2900	21.3	30	40	2.5
	12.5	3.47	32	1450	2.94	4	37	2.5
65-40-315A	23.9	6.6	114	2900	19.41	22	38	2.5
	11.9	3.3	28.5	1450	2.63	3	35	2.5
65-40-315B	22.7	6.3	103	2900	17.19	22	37	2.5

65-40-315B	11.3	3.2	25.8	1450	2.38	3	34	2.5
65-40-315C	21.4	5.9	92	2900	15.2	18.5	35	2.5
	10.7	3	23	1450	2.11	3	32	2.5
80-65-125	50	13.9	20	2900	3.63	5.5	75	3.0
	25	6.94	5	1450	0.48	0.75	71	2.5
80-65-125A	44.7	12.4	16	2900	2.66	3	73	3.0
	22.4	6.2	4	1450	0.35	0.55	69	2.5
80-65-160	50	13.9	32	2900	5.97	7.5	73	2.5
	25	6.94	8	1450	0.79	1.5	69	2.5
80-65-160A	46.8	13	28	2900	5.1	5.5	70	2.5
	23.4	6.5	7	1450	0.68	1.1	66	2.5
80-65-160B	43.3	12	24	2900	4.15	5.5	68	2.5
	21.7	6	6	1450	0.55	0.75	64	2.5
80-50-200	50	13.9	50	2900	9.87	15	69	2.5
	25	6.94	12.5	1450	1.31	2.2	65	2.5
80-50-200A	46.8	13	44	2900	8.37	11	67	2.5
	23.4	6.5	11	1450	1.1	1.5	64	2.5
80-50-200B	43.6	12.1	38	2900	6.83	11	66	2.5
	21.8	6.1	9.5	1450	0.9	1.1	63	2.5
80-50-250	50	13.9	80	2900	17.3	22	63	2.5
	25	6.94	20	1450	2.27	3	60	2.5
80-50-250A	46.8	13	70	2900	14.87	18.5	60	2.5
	23.4	6.5	17.5	1450	1.96	2.2	57	2.5
80-50-250B	43.3	13	60	2900	13.18	15	58	2.5
	21.7	6	15	1450	1.6	2.2	55	2.5
80-50-315	50	13.9	125	2900	31.5	37	54	2.5
	25	6.94	32	1450	4.19	5.5	52	2.5
80-50-315A	47.8	13.3	114	2900	29.15	37	51	2.5
	23.9	6.6	28.5	1450	3.76	5.5	49	2.5
80-50-315B	45.4	12.6	103	2900	25.97	30	49	2.5
	22.7	6.3	25.8	1450	3.46	4	46	2.5
80-50-315C	42.9	11.9	92	2900	22.84	30	47	2.5
	21.4	6	23	1450	3.07	4	44	2.5
100-80-125	100	27.8	20	2900	7	11	78	4.5
	50	13.9	5	1450	0.91	1.5	75	2.5
100-80-125A	89.4	24.8	16	2900	5.19	7.5	75	4.5
	44.7	12.4	4	1450	0.68	1.1	72	2.5
100-80-160	100	27.8	32	2900	11.2	15	78	4.0
	50	13.9	8	1450	1.45	2.2	75	2.5
100-80-160A	93.5	26	28	2900	9.52	11	75	4.0
	46.8	13	7	1450	1.24	1.5	72	2.5
100-80-160B	86.6	24.1	24	2900	7.77	11	73	4.0
	43.3	12	6	1450	1.01	1.5	70	2.5
100-65-200	100	27.8	50	2900	17.9	22	76	3.6
	50	13.9	12.8	1450	2.33	4	73	2.0
100-65-200A	93.8	26.1	44	2900	15.01	18.5	75	3.6
	46.9	13	11	1450	1.95	3	72	2.0
100-65-200B	87.2	24.2	38	2900	12.52	15	72	3.6
	43.6	12.1	9.5	1450	1.63	2.2	69	2.0
100-65-250	100	27.8	80	2900	30.3	37	72	3.8
	50	13.9	20	1450	4	5.5	68	2.0
100-65-250A	93.5	26	70	2900	25.49	30	70	3.8
	46.8	13	17.5	1450	3.38	4	66	2.0
100-65-250B	86.6	24.1	60	2900	20.85	30	68	3.8

100-65-250B	43.3	12	15	1450	2.76	4	64	2.0
100-65-315	100	27.8	125	2900	51.6	75	66	3.6
	50	13.9	32	1450	6.92	11	63	2.0
100-65-315A	95.5	26.5	114	2900	46.28	55	64	3.6
	47.7	13.3	28.5	1450	6.09	7.5	61	2.0
100-65-315B	90.8	25.2	103	2900	41.04	45	62	3.6
	45.4	12.6	25.8	1450	5.4	7.5	59	2.0
100-65-315C	84.8	23.8	92	2900	35.78	45	60	3.6
	42.9	11.9	23	1450	4.71	5.5	57	2.0
125-100-200	200	55.5	50	2900	33.6	45	81	4.5
	100	27.8	12.5	1450	4.48	7.5	76	2.5
125-100-200A	187	52	44	2900	28.76	37	78	4.5
	93.5	26	11	1450	3.84	5.5	73	2.5
125-100-200B	174.4	48.4	38	2900	23.73	30	76	4.5
	87.2	24.2	9.5	1450	3.17	4	71	2.5
125-100-250	200	55.6	80	2900	55.9	75	78	4.2
	100	27.8	20	1450	7.17	11	76	2.5
125-100-250A	187	52	70	2900	46.96	55	76	4.2
	93.5	26	17.5	1450	6.03	7.5	74	2.5
125-100-250B	173.2	48.1	60	2900	38.24	45	74	4.2
	86.6	24.1	15	1450	4.92	7.5	72	2.5
125-100-315	200	55.6	125	2900	90.8	110	75	4.5
	100	27.8	32	1450	11.9	15	73	2.5
125-100-315A	191	53.1	114	2900	81.3	90	73	4.5
	95.5	26.5	28.5	1450	10.43	15	71	2.5
125-100-315B	181.5	50.4	103	2900	71.68	90	71	4.5
	90.8	25.2	25.8	1450	9.37	11	68	2.5
125-100-315C	171.6	47.7	92	2900	62.35	75	69	4.5
	85.8	23.8	23	1450	8.13	11	66	2.5
125-100-400	100	27.8	50	1450	21	30	65	3.0
125-100-400A	93.5	26	44	1450	17.8	22	63	3.0
125-100-400B	86.6	24.1	38	1450	14.96	18.5	60	3.0
150-125-250	200	55.6	20	1450	13.5	18.5	81	3.0
150-125-250A	187	52	17.5	1450	11.44	15	78	3.0
150-125-250B	173	48	15	1450	9.29	11	76	3.0
150-125-315	200	55.6	32	1450	22.1	30	79	2.5
150-125-315A	187	52	28	1450	18.78	22	76	2.5
150-125-315B	173	48	24	1450	15.47	18.5	73	2.5
150-125-400	200	55.6	50	1450	36.3	45	75	2.8
150-125-400A	187	52	44	1450	30.73	37	73	2.8
150-125-400B	173	48	38	1450	25.19	30	71	2.8
200-150-250	400	111.1	20	1450	26.6	37	82	4.6
200-150-250A	374	104	17.5	1450	22.3	30	80	4.6
200-150-250B	346	96	15	1450	18.1	22	78	4.6
200-150-315	400	111.1	32	1450	42.5	55	82	3.5
200-150-315A	374	104	28	1450	35.69	45	80	3.5
200-150-315B	346	96	24	1450	28.96	37	78	3.5
200-150-400	400	111.1	50	1450	67.2	90	81	3.8
200-150-400A	374	104	44	1450	56.79	75	79	3.8
200-150-400B	346	96	38	1450	46.45	55	77	3.8